

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	828	(cooperating or linked or inter or associated or nested) near5 (state or fsm or fsa) and (transition or arc or path) and (workflow or task\$3) and (generat\$3 near5 instruction) and (add\$3 or addition or delet\$3 or redirect\$3 or direct\$3 or alter\$3 or alteration) and input\$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:49
L2	676	(cooperating or linked or inter or associated or nested) near3 (state or fsm or fsa) and (transition or arc or path) and (workflow or task\$3) and (generat\$3 near5 instruction) and (add\$3 or addition or delet\$3 or redirect\$3 or direct\$3 or alter\$3 or alteration) and input\$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:49
L3	31	(717/10?.ccls. or 705/???.ccls. or 719/???.ccls.) and (cooperating or linked or inter or associated or nested) near3 (state or fsm or fsa) and (transition or arc or path) and (workflow or task\$3) and (generat\$3 near5 instruction) and (add\$3 or addition or delet\$3 or redirect\$3 or direct\$3 or alter\$3 or alteration) and input\$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:50
S1	611	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S2	354	717/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S3	147	717/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S4	545	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

cooperating state machines assigned personn

Search

[Advanced Search](#)

[Preferences](#)

New! [View and manage your web history](#)

Web Results 21 - 30 of about **1,730,000** for **cooperating state machines assigned personnel input**. (0.07 sec)

Distributed computation utilizing idle networked computers - US ...

The program is structured as a combination of finite **state machines**. All activity is the result of **input** messages from somewhere, and every **input** message ...

www.patentstorm.us/patents/6009455-description.html - 52k - [Cached](#) - [Similar pages](#)

Forming and maintaining access groups at the lan/wan interface ...

After the **input**/conditions column, the other six columns identify the states of the **state machine**, whether embodied in a programmed microprocessor, ...

www.patentstorm.us/patents/5365523-description.html - 46k - [Cached](#) - [Similar pages](#)

Radiologic Technologist

Associate Chief Radiologic Technologists interview, train, **assign** work to, evaluate the performance of, and recommend **personnel** actions for both Radiologic ...

www.hr.uci.edu/uc-ser/h/25/aa5-29.html - 10k - [Cached](#) - [Similar pages](#)

County of Napa - Jobs

Input and monitor County contracts for payment. Run **State** welfare (SAWS) payment ...

Establish and maintain **cooperative** working relationships with others. ...

agency.governmentjobs.com/napacounty/default.cfm?

[action=viewclassspec&ClassSpecID=45335](#) - 20k - [Cached](#) - [Similar pages](#)

[PS] A model of the communicative behavior of designers involved in ...

File Format: Adobe PostScript - [View as Text](#)

Statecharts are an extension of finite-**state machines** and have been formulated to ... provide their **personal** experience. Hence, in **cooperative** design ...

ftp://ftp.inf.puc-rio.br/pub/docs/techreports/95_41_maia.ps.gz - [Similar pages](#)

[PDF] Intelligent Track Analysis on Navy Platforms Using Soft Computing

File Format: PDF/Adobe Acrobat - [View as HTML](#)

finite-**state-machines**, IISM is performing as well as or better than Navy **personnel**.

References: 1. Navy Warfare Development Command, "Sea-Based Theater Air ...

www.stottlerhenke.com/papers/WILF_2005_Navy_Track_Analysis.pdf - [Similar pages](#)

[PDF] Cooperating Knowledge-Based Assistants for the Office

A finite-**state-machine** diagram in Figure 4 illustrates the possible transitions. The office **personnel** are **assigned** roles as follows: ...

portal.acm.org/ft_gateway.cfm?id=42197&

[type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=61...](#) - [Similar pages](#)

USDA/NASS-5 System name: List Sampling Frame, USDA/NASS. System ...

System location: **Input** and output files are located in Headquarters (Washington, DC) and **State** Statistical Offices at the following locations: Montgomery, ...

www.ocio.usda.gov/NASS-5.txt - 14k - [Cached](#) - [Similar pages](#)

[PDF] 5.0 FINANCE SECTION

File Format: PDF/Adobe Acrobat - [View as HTML](#)

all **personnel assigned** to the incident in preparation for cost-recovery reporting ... Meet with Assisting and **Cooperating** Agency Representatives as needed. ...

www.sfcddp.org/UserFiles/File/IDER%20Plan/5.0_Finance_Section_Overview.Draft_5.pdf - [Similar pages](#)

EAST Search History

S7	17	(S1 S2 S3 S4) and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3) and input\$4 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:40
S10	165	(state or fsm or fsa) same (transition\$3 or arc or path) same (workflow) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or edit\$3 or modify\$3 or modification) and input\$4 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:43
S11	0	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (first or initial\$2 or second or third or fourth or plurality or multiple) near3 (transition\$3 or arc or path or cycl\$3) and (debug\$4 near3 (request near3 form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:37
S12	42	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (first or initial\$2 or second or third or fourth or plurality or multiple) near3 (transition\$3 or arc or path or cycl\$3) and (debug\$4 near3 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:48
S13	2	"20050120280"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:51

EAST Search History

S14	158	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (first or initial\$2 or second or third or fourth or plurality or multiple) near3 (transition\$3 or arc or path or cycl\$3) and (generat\$3 or creat\$3 or develop\$4) near3 (instruction and path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:52
S15	410	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (first or initial\$2 or second or third or fourth or plurality or multiple) near3 (transition\$3 or arc or path or cycl\$3) and (generat\$3 or creat\$3 or develop\$4) same (instruction and path) and (set\$4 or configur\$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:06
S16	339	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (third or fourth or plurality or multiple) near3 (transition\$3 or arc or path or cycl\$3) and (generat\$3 or creat\$3 or develop\$4) same (instruction and path) and (set\$4 or configur\$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:07

EAST Search History

S17	373	debug\$4 and ((state or fsm or fsa) and (transition\$3 or arc or path)) and (flowchart or workflow or task\$3 or process) and (generat\$3 near5 instruction) and (add\$5 or delet\$3 or redirect\$3 or direct\$3 or alter\$5 or repeat\$3 or return\$3 or messag\$3) and output\$4 and input\$4 and event and (terminat\$3 or complet\$3 or end\$3 or finish\$3) and (third or fourth or plurality or multiple or additional or subsequent) near3 (transition\$3 or arc or path or cycl\$3) and (generat\$3 or creat\$3 or develop\$4) same (instruction and path) and (set\$4 or configur\$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:06
S18	2	"6279009".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:04
S19	1356	state same (input\$4 or messag\$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:07
S20	17	state same (input\$4 or messag\$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console) and (dynamic\$4 or rearrang\$4 or adjust\$4) near3 (transition or path or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:11
S21	13	state same (input\$4 or messag\$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console) and (reset\$4 or reconfigur\$5 or reconstruct\$3) near3 (transition or path or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:12

Washington State Auditor's Office-Whistleblower Reports-WB #01-057

Instant Ticket Vending **Machines** are used to sell scratch tickets, ... The Director of the Lottery used **state** funds to pay for **personal** travel expenses. ...

<https://www.sao.wa.gov/Whistleblower/WBReports/2001/February/wb01057.htm> - 28k -
[Cached](#) - [Similar pages](#)

Previous [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)